

139


18


# **SSAB**


---


# **PHOTOS**














[illegible]

antbytet av raffinerad bensin räknat på fabriksnivå

100

5100  
P.D.  
5779

ASTM D86-40 83

91-10-20

309

40 110  
41 111  
42 112  
43 113  
44 114  
45 115  
46 116  
47 117  
48 118  
49 119  
50 120

121  
60  
121

150  
140  
130  
120  
110  
100  
90  
80  
70  
60  
50  
40  
30  
20  
10  
0

**90**

1/24/96

...tendertionsanläggningen torden

Anm.: Efter förbättring av kondukt för 1903.

avsluttare fokkurva, runda  
við þúttu förestallda.

[illegible]

0.038

[illegible]

Journal of the  
Royal Society of  
Medicine

ent. Publ.

$\text{C}_{10}\text{H}_8\text{N}_2$  / 60 phtetraethyl - 65,0

Ortantal: 0,8 Vol 9,33 - 75,5

— 80,9

- 82.0

6.0

1. The first step in the process is to identify the problem or issue that needs to be addressed. This involves gathering information and understanding the context of the problem.

2. Once the problem is identified, the next step is to define the objectives and goals of the project. This helps to clarify what needs to be achieved and provides a clear direction for the team.

3. The third step is to develop a plan or strategy to address the problem. This involves breaking down the problem into smaller, manageable tasks and determining the resources needed to complete each task.

4. The fourth step is to implement the plan. This involves putting the strategy into action and monitoring progress regularly to ensure that the project is on track.

5. The final step is to evaluate the results of the project. This involves assessing the outcomes against the objectives and goals and identifying any areas for improvement.

100

1


.....


—

—


1







[illegible]





[illegible]

